



## 2012 Step Therapy Criteria

ANGIOTENSIN RECEPTOR BLOCKERS .....	7
<i>benazepril</i> .....	7
<i>benazepril/amlodipine besylate</i> .....	7
<i>benazepril/hctz</i> .....	7
<i>captopril</i> .....	7
<i>captopril/hctz</i> .....	7
<i>enalapril</i> .....	7
<i>enalapril maleate/hctz</i> .....	7
<i>fosinopril</i> .....	7
<i>fosinopril/hctz</i> .....	7
<i>lisinopril</i> .....	7
<i>lisinopril/hctz</i> .....	7
<i>losartan</i> .....	7
<i>losartan /hctz</i> .....	7
<i>moexipril</i> .....	7
<i>moexipril/hctz</i> .....	7
<i>perindopril erbumine</i> .....	7
<i>quinapril</i> .....	7
<i>quinapril/hctz</i> .....	7
<i>ramipril</i> .....	7
<i>trandolapril</i> .....	7
AZOR® .....	7
BENICAR HCT®.....	7

BENICAR® .....	7
DIOVAN HCT® .....	7
DIOVAN® .....	7
EXFORGE HCT® .....	7
EXFORGE®.....	7
ANTIDEPRESSANTS .....	8
<i>citalopram</i> .....	8
<i>fluoxetine</i> .....	8
<i>paroxetine</i> .....	8
<i>sertraline</i> .....	8
<i>venlafaxine</i> .....	8
PRISTIQ®.....	8
ANTIDEPRESSANTS, OTHER .....	9
<i>citalopram</i> .....	9
<i>fluoxetine</i> .....	9
<i>paroxetine</i> .....	9
<i>sertraline</i> .....	9
VIIBRYD®.....	9
ANTIDIABETIC AGENTS .....	10
<i>nateglinide</i> .....	10
PRANDIN® .....	10
ANTIHYPERTENSIVE AGENTS.....	11
<i>benazepril</i> .....	11
<i>benazepril/amlodipine besylate</i> .....	11
<i>benazepril/hctz</i> .....	11

<i>captopril</i> .....	11
<i>captopril/hctz</i> .....	11
<i>enalapril</i> .....	11
<i>enalapril maleate/hctz</i> .....	11
<i>fosinopril</i> .....	11
<i>fosinopril/hctz</i> .....	11
<i>lisinopril</i> .....	11
<i>lisinopril/hctz</i> .....	11
<i>losartan</i> .....	11
<i>losartan /hctz</i> .....	11
<i>moexipril</i> .....	11
<i>moexipril/hctz</i> .....	11
<i>perindopril erbumine</i> .....	11
<i>quinapril</i> .....	11
<i>quinapril/hctz</i> .....	11
<i>ramipril</i> .....	11
<i>trandolapril</i> .....	11
TEKTURNA HCT®.....	11
TEKTURNA®.....	11
ANTIMIGRAINE AGENTS.....	12
<i>naratriptan</i> .....	12
<i>sumatriptan oral</i> .....	12
MAXALT MLT®.....	12
MAXALT®.....	12
ZOMIG ZMT® .....	12

ZOMIG® .....	12
ATYPICAL ANTIPSYCHOTICS .....	13
<i>Risperidone/odt</i> .....	13
ABILIFY DISCMELT®.....	13
ABILIFY® ORAL .....	13
GEODON® ORAL.....	13
INVEGA®.....	13
SEROQUEL® .....	13
ZYPREXA ZYDIS® .....	13
ZYPREXA® ORAL.....	13
ATYPICAL ANTIPSYCHOTICS, OTHER.....	14
ABILIFY DISCMELT®.....	14
ABILIFY® ORAL .....	14
GEODON® ORAL.....	14
INVEGA®.....	14
<i>Risperidone/odt</i> .....	14
SEROQUEL® .....	14
ZYPREXA ZYDIS® .....	14
ZYPREXA® ORAL.....	14
FANAPT® .....	14
LATUDA® .....	14
SAPHRIS®.....	14
BISPHOSPHONATES.....	15
<i>alendronate</i> .....	15
ACTONEL® .....	15

BONIVA® ORAL .....	15
GASTROINTESTINAL AGENTS .....	16
<i>lactulose</i> .....	16
AMITIZA® .....	16
XIFAXAN® 550MG .....	16
NONSTEROIDAL ANTI-INFLAMMATORY AGENTS.....	17
<i>diclofenac potassium</i> .....	17
<i>diclofenac sodium/er/ec</i> .....	17
<i>diflunisal</i> .....	17
<i>etodolac/er</i> .....	17
<i>ibuprofen</i> .....	17
<i>indomethacin/er</i> .....	17
<i>ketorolac oral</i> .....	17
<i>meloxicam</i> .....	17
<i>nabumetone</i> .....	17
<i>naproxen/ec</i> .....	17
<i>naproxen sodium</i> .....	17
<i>piroxicam</i> .....	17
<i>sulindac</i> .....	17
CELEBREX® 100MG & 200MG .....	17
OPHTHALMIC ANTIGLAUCOMA AGENTS .....	18
<i>brimonidine tartrate</i> .....	18
<i>carteolol</i> .....	18
<i>levobunolol</i> .....	18
<i>metipranolol</i> .....	18

<i>timolol</i> .....	18
COMBIGAN®.....	18
OPHTHALMIC ANTIGLAUCOMA AGENTS, OTHER .....	19
<i>latanoprost</i> .....	19
LUMIGAN®.....	19
PROTON PUMP INHIBITORS .....	20
<i>omeprazole</i> .....	20
<i>pantoprazole</i> .....	20
<i>lansoprazole</i> .....	20
SEDATIVES HYPNOTICS .....	21
<i>zolpidem</i> .....	21
LUNESTA®.....	21
SMOKING CESSATION AGENTS .....	22
<i>bupropion</i> .....	22
CHANTIX®.....	22

## ANGIOTENSIN RECEPTOR BLOCKERS

### Affected Drugs

#### STEP 1 DRUGS

*benazepril*  
*benazepril/amlodipine besylate*  
*benazepril/hctz*  
*captopril*  
*captopril/hctz*  
*enalapril*  
*enalapril maleate/hctz*  
*fosinopril*  
*fosinopril/hctz*  
*lisinopril*  
*lisinopril/hctz*  
*losartan*  
*losartan /hctz*  
*moexipril*  
*moexipril/hctz*  
*perindopril erbumine*  
*quinapril*  
*quinapril/hctz*  
*ramipril*  
*trandolapril*

#### STEP 2 DRUGS

AZOR®  
BENICAR HCT®  
BENICAR®  
DIOVAN HCT®  
DIOVAN®  
EXFORGE HCT®  
EXFORGE®

Step 1 drugs are generic Losartan, Losartan HCT, Benazepril, Benazepril HCTZ, Benazepril with Amlodipine, Captopril, Captopril HCTZ, Enalapril, Enalapril HCTZ, Fosinopril, Fosinopril HCTZ, Lisinopril, Lisinopril HCTZ, Moexipril, Moexipril HCTZ, Perindopril, Quinapril, Quinapril HCTZ, Ramipril, Trandolapril. Step 2 drugs: Diovan, Diovan HCT, Benicar, Benicar HCT, Azor, Exforge, Exforge HCT. The use of at least one Step 1 drug is required prior to the use of Step 2 drugs. A look back period for claims review for Step 1 drugs is 130 days.

## ANTIDEPRESSANTS

### Affected Drugs

#### STEP 1 DRUGS

*citalopram*

*fluoxetine*

*paroxetine*

*sertraline*

*venlafaxine*

#### STEP 2 DRUGS

PRISTIQ®

This Step Therapy Group is applicable to new starts. Step 1 drugs are generic Venlafaxine immediate-release, Venlafaxine ER capsules, Citalopram, Fluoxetine, Paroxetine, Sertraline. Step 2 drug: Pristiq. The use of at least one Step 1 drug is required prior to the use of a Step 2 drug. A look back period for claims review for Step 1 drugs is 130 days.

## ANTIDEPRESSANTS, OTHER

### Affected Drugs

#### STEP 1 DRUGS

*citalopram*

*fluoxetine*

*paroxetine*

*sertraline*

#### STEP 2 DRUGS

VIIBRYD®

This Step Therapy Group is applicable to new starts. Step 1 drugs are generic Citalopram, Fluoxetine, Paroxetine, Sertraline. Step 2 drug: Viibryd. The use of at least two Step 1 drugs is required prior to the use of a Step 2 drug. A look back period for claims review for Step 1 drugs is 130 days.

## ANTIDIABETIC AGENTS

### Affected Drugs

#### STEP 1 DRUGS

*nateglinide*

#### STEP 2 DRUGS

PRANDIN®

Step 1 drug is generic Nateglinide. Step 2 drug: Prandin. The use of a Step 1 drug is required prior to the use of a Step 2 drug. A look back period for claims review for a Step 1 drug is 130 days.

## ANTIHYPERTENSIVE AGENTS

### Affected Drugs

#### STEP 1 DRUGS

*benazepril*  
*benazepril/amlodipine besylate*  
*benazepril/hctz*  
*captopril*  
*captopril/hctz*  
*enalapril*  
*enalapril maleate/hctz*  
*fosinopril*  
*fosinopril/hctz*  
*lisinopril*  
*lisinopril/hctz*  
*losartan*  
*losartan /hctz*  
*moexipril*  
*moexipril/hctz*  
*perindopril erbumine*  
*quinapril*  
*quinapril/hctz*  
*ramipril*  
*trandolapril*

#### STEP 2 DRUGS

TEKTURNA HCT®  
TEKTURNA®

Step 1 drugs are generic ACE inhibitors, generic ACE inhibitor combination products, generic ARB, generic ARB combination product: Benazepril, Benazepril with HCTZ, Captopril, Captopril with HCTZ, Enalapril, Enalapril with HCTZ, Fosinopril, Fosinopril with HCTZ, Lisinopril, Lisinopril with HCTZ, Moexipril, Moexipril with HCTZ, Perindopril, Quinapril, Quinapril with HCTZ, Trandolapril, Ramipril, Amlodipine with Benazepril, Losartan, Losartan HCT. Step 2 drugs: Tekturna, Tekturna with HCTZ. The use of at least one Step 1 drug is required prior to the use of Step 2 drugs. A look back period for claims review for Step 1 drugs is 130 days.

## ANTIMIGRAINE AGENTS

### Affected Drugs

#### STEP 1 DRUGS

*naratriptan*

*sumatriptan oral*

#### STEP 2 DRUGS

MAXALT MLT®

MAXALT®

ZOMIG ZMT®

ZOMIG®

Step 1 drugs are generic sumatriptan oral, naratriptan. Step 2 drugs: Maxalt, Maxalt MLT, Zomig oral, Zomig ZMT. The use of two Step 1 drugs is required prior to the use of Step 2 drugs. A look back period for claims review for Step 1 drugs is 130 days.

## ATYPICAL ANTIPSYCHOTICS

### Affected Drugs

#### STEP 1 DRUGS

*Risperidone/odt*

#### STEP 2 DRUGS

ABILIFY DISCMELT®

ABILIFY® ORAL

GEODON® ORAL

INVEGA®

SEROQUEL®

ZYPREXA ZYDIS®

ZYPREXA® ORAL

This Step Therapy Group is applicable to new starts. Step 1 drugs are generic Risperidone, generic Risperidone ODT. Step 2 drugs: Abilify oral, Abilify Discmelt, Geodon oral, Invega, Seroquel, Zyprexa oral, Zyprexa Zydis. The use of at least one Step 1 drug is required prior to the use of Step 2 drugs. A look back period for claims review for Step 1 drugs is 130 days. A trial of Risperidone or Risperidone ODT is not required if Abilify oral or Abilify Discmelt or Zyprexa oral or Zyprexa Zydis will be used as an adjunctive treatment for major depression.

## ATYPICAL ANTIPSYCHOTICS, OTHER

### Affected Drugs

#### STEP 1 DRUGS

ABILIFY DISCMELT®

ABILIFY® ORAL

GEODON® ORAL

INVEGA®

*Risperidone/odt*

SEROQUEL®

ZYPREXA ZYDIS®

ZYPREXA® ORAL

#### STEP 2 DRUGS

FANAPT®

LATUDA®

SAPHRIS®

This Step Therapy Group is applicable to new starts. Step 1 drugs are generic Risperidone, generic Risperidone ODT, Abilify oral, Abilify Discmelt, Geodon oral, Invega, Seroquel, Zyprexa oral, Zyprexa Zydis. Step 2 drugs: Fanapt, Fanapt Titration Pack, Saphris, Latuda. The use of at least two Step 1 drugs is required prior to the use of Step 2 drugs. A look back period for claims review for Step 1 drugs is 130 days.

## **BISPHOSPHONATES**

### **Affected Drugs**

#### STEP 1 DRUGS

*alendronate*

#### STEP 2 DRUGS

ACTONEL®

BONIVA® ORAL

Step 1 drug is generic Bisphosphonate: Alendronate. Step 2 drugs: Actonel, Boniva oral. The use of a Step 1 drug is required prior to the use of Step 2 drugs. A look back period for claims review for a Step 1 drug is 130 days.

## GASTROINTESTINAL AGENTS

### Affected Drugs

#### STEP 1 DRUGS

*lactulose*

#### STEP 2 DRUGS

AMITIZA®

XIFAXAN® 550MG

Step 1 drugs are generic Lactulose, Enulose. Step 2 drugs: Amitiza, Xifaxan 550mg tablets. The use of at least one Step 1 drug is required prior to the use of Step 2 drugs. A look back period for claims review for Step 1 drugs is 130 days. A trial of lactulose or enulose is not required if lactulose or enulose will be administered concurrently with Xifaxan 550mg tablets.

## NONSTEROIDAL ANTI-INFLAMMATORY AGENTS

### Affected Drugs

#### STEP 1 DRUGS

*diclofenac potassium*  
*diclofenac sodium/er/ec*  
*diflunisal*  
*etodolac/er*  
*ibuprofen*  
*indomethacin/er*  
*ketorolac oral*  
*meloxicam*  
*nabumetone*  
*naproxen/ec*  
*naproxen sodium*  
*piroxicam*  
*sulindac*

#### STEP 2 DRUGS

CELEBREX® 100MG & 200MG

Step 1 drugs are generic NSAIDs: Ibuprofen, Indomethacin, Indomethacin ER, Ketorolac oral, Naproxen, Naproxen EC, Naproxen Sodium, Piroxicam, Sulindac, Diclofenac Potassium, Diclofenac Sodium EC, Diclofenac Sodium ER, Etodolac, Etodolac ER, Nabumetone, Meloxicam, Diflunisal. Step 2 drugs: Celebrex 100mg and 200mg capsules. The use of at least two Step 1 drugs is required prior to the use of Step 2 Drugs. A look back period for claims review for Step 1 drugs is 130 days.

## OPHTHALMIC ANTIGLAUCOMA AGENTS

### Affected Drugs

#### STEP 1 DRUGS

*brimonidine tartrate*

*carteolol*

*levobunolol*

*metipranolol*

*timolol*

#### STEP 2 DRUGS

COMBIGAN®

Step 1 drugs are the following generic ophthalmics: Brimonidine 0.2%, Carteolol, Levobunolol, Metipranolol, Timolol solution. Step 2 drug: Combigan. The use of at least one Step 1 drug is required prior to the use of a Step 2 drug. A look back period for claims review for Step 1 drugs is 130 days.

## OPHTHALMIC ANTIGLAUCOMA AGENTS, OTHER

### Affected Drugs

#### STEP 1 DRUGS

*latanoprost*

#### STEP 2 DRUGS

LUMIGAN®

Step 1 drug is generic Latanoprost. Step 2 drug: Lumigan. The use of a Step 1 drug is required prior to the use of a Step 2 drug. A look back period for claims review for a Step 1 drug is 130 days.

## PROTON PUMP INHIBITORS

### Affected Drugs

#### STEP 1 DRUGS

*omeprazole*

*pantoprazole*

#### STEP 2 DRUGS

*lansoprazole*

Step 1 drug is generic Omeprazole (legend drug), generic Pantoprazole (legend drug). Step 2 drug: Lansoprazole. The use of two Step 1 drugs is required prior to the use of a Step 2 drug. A look back period for claims review for Step 1 drugs is 130 days.

## SEDATIVES HYPNOTICS

### Affected Drugs

#### STEP 1 DRUGS

*zolpidem*

#### STEP 2 DRUGS

LUNESTA®

Step 1 drug is generic Zolpidem. Step 2 drug: Lunesta. The use of a Step 1 drug is required prior to the use of a Step 2 drug. A look back period for claims review for a Step 1 drug is 130 days.

## SMOKING CESSATION AGENTS

### Affected Drugs

#### STEP 1 DRUGS

*bupropion*

#### STEP 2 DRUGS

CHANTIX®

Step 1 drug is generic Buprobán. Step 2 drug: Chantix. The use of a Step 1 drug is required prior to the use of a Step 2 drug. A look back period for claims review for a Step 1 drug is 130 days.